```
SQL> cl scr

SQL> DESC MCAStudent
 Name                                     Null?    Type
 ---------------------------------------- -------- ----------------------
 -------
  STUDENT                                          PERSON
  STUDENTFEES                                      FEES

SQL> SET DESCRIBE DEPTH 2
SQL> DESC MCAStudent
 Name                                     Null?    Type
 ---------------------------------------- -------- ----------------------
 -------
  STUDENT                                          PERSON
    PERSONID                                       NUMBER(6)
    PERSONFULLNAME                                 NAME
    PERSONDOB                                      DATE
    PERSONADDRESS                                  ADDRESS
  STUDENTFEES                                      FEES
    TUTIONFEES                                     NUMBER(8,2)
    LABFEES                                        NUMBER(6,2)
    SPORTSFEES                                     NUMBER(6,2)
    LIBRARYFEES                                    NUMBER(6,2)
    EXAMFEES                                       NUMBER(6,2)
    TRANSPORTFEES                                  NUMBER(7,2)
    HOSTELFEES                                     NUMBER(8,2)
    MESSFEES                                       NUMBER(8,2)

SQL> SET DESCRIBE DEPTH 3
SQL> DESC MCAStudent
 Name                                     Null?    Type
 ---------------------------------------- -------- ----------------------
 -------
  STUDENT                                          PERSON
    PERSONID                                       NUMBER(6)
    PERSONFULLNAME                                 NAME
      FIRSTNAME                                    VARCHAR2(20)
      MIDDLENAME                                   VARCHAR2(20)
      LASTNAME                                     VARCHAR2(20)
    PERSONDOB                                      DATE
    PERSONADDRESS                                  ADDRESS
      HOUSENUM                                     VARCHAR2(15)
      STREET                                       VARCHAR2(20)
      CITY                                         VARCHAR2(20)
      DISTRICT                                     VARCHAR2(20)
      STATE                                        VARCHAR2(20)
      COUNTRY                                      VARCHAR2(20)
      PIN                                          CHAR(6)
```

```
STUDENTFEES                                             FEES
  TUTIONFEES                                            NUMBER(8,2)
  LABFEES                                               NUMBER(6,2)
  SPORTSFEES                                            NUMBER(6,2)
  LIBRARYFEES                                           NUMBER(6,2)
  EXAMFEES                                              NUMBER(6,2)
  TRANSPORTFEES                                         NUMBER(7,2)
  HOSTELFEES                                            NUMBER(8,2)
  MESSFEES                                              NUMBER(8,2)

SQL> INSERT INTO
  2  MCAStudent
  3  (
  4      Student
  5     ,StudentFees
  6  )
  7  VALUES
  8  (
  9   PERSON
 10   (
 11   1234,
 12   NAME
 13       (
 14       'SATHISH', 'KUMAR', 'YELLANKI'
 15       )
 16  ,'02-OCT-86'
 17  ,ADDRESS
 18             (
 19             '2-715/B/6'
 20           ,'BALKAMPET ROAD'
 21           ,'HYDERABAD'
 22           ,'RANGA REDDY'
 23           ,'ANDHRA PRADESH'
 24           ,'INDIA'
 25           ,'500016'
 26             )
 27  )
 28  ,FEES
 29    (
 30     100000
 31    ,6000
 32    ,2000
 33    ,1500
 34    ,5000
 35    ,20000
 36    ,12000
 37    ,27000
 38     )
 39  );
```

```
1 row created.

SQL> INSERT INTO
  2  MCAStudent
  3  (
  4     Student
  5    ,StudentFees
  6  )
  7  VALUES
  8  (
  9   PERSON
 10   (
 11   1235,
 12   NAME
 13        (
 14        'RAVI', 'KUMAR', 'SHARMA'
 15        )
 16  ,'03-JAN-86'
 17  ,ADDRESS
 18              (
 19              '2-716/B/6'
 20              ,'SHIVAM ROAD'
 21              ,'HYDERABAD'
 22              ,'RANGA REDDY'
 23              ,'ANDHRA PRADESH'
 24              ,'INDIA'
 25              ,'500016'
 26              )
 27  )
 28  ,FEES
 29        (
 30         100000
 31        ,6000
 32        ,2000
 33        ,1500
 34        ,5000
 35        ,20000
 36        ,12000
 37        ,27000
 38        )
 39  );

1 row created.

SQL> INSERT INTO
  2  MCAStudent
  3  (
  4     Student
```

SkyEss Techno Solutions Pvt. Ltd.
**Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038
Ph No. +9140 23710047, 64640047, Mobile: 9985798869
Contact For Courses And Training in**
Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data
Modeling, Linux/Unix

```
    5    ,StudentFees
    6    )
    7    VALUES
    8    (
    9     PERSON
   10     (
   11     1236,
   12     NAME
   13           (
   14           'RAMANA',  'KUMAR',  'RANJAN'
   15           )
   16     ,'23-JUN-86'
   17     ,ADDRESS
   18                 (
   19                  '2-716/B/6'
   20                 ,'GANDHI ROAD'
   21                 ,'HYDERABAD'
   22                 ,'RANGA REDDY'
   23                 ,'ANDHRA PRADESH'
   24                 ,'INDIA'
   25                 ,'500016'
   26                 )
   27    )
   28    ,FEES
   29          (
   30           100000
   31          ,6000
   32          ,2000
   33          ,1500
   34          ,5000
   35          ,20000
   36          ,12000
   37          ,27000
   38          )
   39    );

1 row created.

SQL> SELECT * FROM MCAStudent;

STUDENT(PERSONID, PERSONFULLNAME(FIRSTNAME, MIDDLENAME, LASTNAME),
PERSONDOB, PE
--------------------------------------------------------------------------------
------
STUDENTFEES(TUTIONFEES, LABFEES, SPORTSFEES, LIBRARYFEES, EXAMFEES,
TRANSPORTFEE
--------------------------------------------------------------------------------
------
```

```
PERSON(1234, NAME('SATHISH', 'KUMAR', 'YELLANKI'), '02-OCT-86',
ADDRESS('2-715/B
/6', 'BALKAMPET ROAD', 'HYDERABAD', 'RANGA REDDY', 'ANDHRA PRADESH',
'INDIA', '5
00016'))
FEES(100000, 6000, 2000, 1500, 5000, 20000, 12000, 27000)

PERSON(1235, NAME('RAVI', 'KUMAR', 'SHARMA'), '03-JAN-86', ADDRESS('2-
716/B/6',
'SHIVAM ROAD', 'HYDERABAD', 'RANGA REDDY', 'ANDHRA PRADESH', 'INDIA',
'500016'))
FEES(100000, 6000, 2000, 1500, 5000, 20000, 12000, 27000)


STUDENT(PERSONID, PERSONFULLNAME(FIRSTNAME, MIDDLENAME, LASTNAME),
PERSONDOB, PE
--------------------------------------------------------------------
-------
STUDENTFEES(TUTIONFEES, LABFEES, SPORTSFEES, LIBRARYFEES, EXAMFEES,
TRANSPORTFEE
--------------------------------------------------------------------
-------
PERSON(1236, NAME('RAMANA', 'KUMAR', 'RANJAN'), '23-JUN-86', ADDRESS('2-
716/B/6'
, 'GANDHI ROAD', 'HYDERABAD', 'RANGA REDDY', 'ANDHRA PRADESH', 'INDIA',
'500016'
))
FEES(100000, 6000, 2000, 1500, 5000, 20000, 12000, 27000)


SQL> COLUMN FNAME FORMAT A10
SQL> COLUMN Mname FORMAT A10
SQL> COLUMN LName FORMAT A10
SQL> COLUMN FullName FORMAT A30
SQL> SELECT
  2   E1.Student.PersonFullName.FirstName FName,
  3   E1.Student.PersonFullName.MiddleName MName,
  4   E1.Student.PersonFullName.LastName LName,
  5   E1.Student.PersonFullName.FirstName||' '
  6   ||E1.Student.PersonFullName.MiddleName||' '
  7   ||E1.Student.PersonFullName.LastName FullName
  8   FROM MCAStudent E1;

FNAME       MNAME       LNAME       FULLNAME
----------  ----------  ----------  ------------------------------
SATHISH     KUMAR       YELLANKI    SATHISH KUMAR YELLANKI
RAVI        KUMAR       SHARMA      RAVI KUMAR SHARMA
RAMANA      KUMAR       RANJAN      RAMANA KUMAR RANJAN
```

SkyEss Techno Solutions Pvt. Ltd.
Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038
Ph No. +9140 23710047, 64640047, Mobile: 9985798869
Contact For Courses And Training in
Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

```
SQL> ED
Wrote file afiedt.buf

  1   CREATE OR REPLACE VIEW StudentNameInfo
  2   AS
  3   SELECT
  4   E1.Student.PersonFullName.FirstName FName,
  5   E1.Student.PersonFullName.MiddleName MName,
  6   E1.Student.PersonFullName.LastName LName,
  7   E1.Student.PersonFullName.FirstName||' '
  8   ||E1.Student.PersonFullName.MiddleName||' '
  9   ||E1.Student.PersonFullName.LastName FullName
 10*  FROM MCAStudent E1
SQL> /

View created.

SQL> DESC StudentNameInfo
 Name                                              Null?    Type
 ------------------------------------------------- -------- --------------------
 -------
 FNAME                                                      VARCHAR2(20)
 MNAME                                                      VARCHAR2(20)
 LNAME                                                      VARCHAR2(20)
 FULLNAME                                                   VARCHAR2(62)

SQL> SELECT * FROM StudentNameInfo;

FNAME       MNAME       LNAME       FULLNAME
----------- ----------- ----------- ------------------------------
SATHISH     KUMAR       YELLANKI    SATHISH KUMAR YELLANKI
RAVI        KUMAR       SHARMA      RAVI KUMAR SHARMA
RAMANA      KUMAR       RANJAN      RAMANA KUMAR RANJAN

SQL> SELECT Fname, MName, LName
  2  FROM StudentNameInfo;

FNAME       MNAME       LNAME
----------- ----------- -----------
SATHISH     KUMAR       YELLANKI
RAVI        KUMAR       SHARMA
RAMANA      KUMAR       RANJAN

SQL> SELECT FullName
  2  FROM StudentNameInfo;

FULLNAME
------------------------------
SATHISH KUMAR YELLANKI
```

```
RAVI KUMAR SHARMA
RAMANA KUMAR RANJAN

SQL> cl scr

SQL> DESC MCAStudent
 Name                                         Null?     Type
 -------------------------------------------- --------- ----------------
 -------
  STUDENT                                                PERSON
    PERSONID                                             NUMBER(6)
    PERSONFULLNAME                                       NAME
      FIRSTNAME                                          VARCHAR2(20)
      MIDDLENAME                                         VARCHAR2(20)
      LASTNAME                                           VARCHAR2(20)
    PERSONDOB                                            DATE
    PERSONADDRESS                                        ADDRESS
      HOUSENUM                                           VARCHAR2(15)
      STREET                                             VARCHAR2(20)
      CITY                                               VARCHAR2(20)
      DISTRICT                                           VARCHAR2(20)
      STATE                                              VARCHAR2(20)
      COUNTRY                                            VARCHAR2(20)
      PIN                                                CHAR(6)
  STUDENTFEES                                            FEES
    TUTIONFEES                                           NUMBER(8,2)
    LABFEES                                              NUMBER(6,2)
    SPORTSFEES                                           NUMBER(6,2)
    LIBRARYFEES                                          NUMBER(6,2)
    EXAMFEES                                             NUMBER(6,2)
    TRANSPORTFEES                                        NUMBER(7,2)
    HOSTELFEES                                           NUMBER(8,2)
    MESSFEES                                             NUMBER(8,2)

SQL> ED
Wrote file afiedt.buf

  1  SELECT
  2  MCA.STUDENT.PERSONID StudID,
  3  MCA.STUDENT.PERSONFULLNAME.FIRSTNAME FName,
  4  MCA.STUDENT.PERSONFULLNAME.MIDDLENAME MName,
  5  MCA.STUDENT.PERSONFULLNAME.LASTNAME LName,
  6  MCA.STUDENT.PERSONDOB PDOB,
  7  MCA.STUDENT.PERSONADDRESS.HOUSENUM Hno,
  8  MCA.STUDENT.PERSONADDRESS.STREET Street,
  9  MCA.STUDENT.PERSONADDRESS.CITY City,
 10  MCA.STUDENT.PERSONADDRESS.DISTRICT District,
 11  MCA.STUDENT.PERSONADDRESS.STATE State,
 12  MCA.STUDENT.PERSONADDRESS.COUNTRY Country,
```

```
13  MCA.STUDENT.PERSONADDRESS.PIN PinCode,
14  MCA.STUDENT.STUDENTFEES.TUTIONFEES TFees,
15  MCA.STUDENT.STUDENTFEES.LABFEES LabFees,
16  MCA.STUDENT.STUDENTFEES.SPORTSFEES SPFees,
17  MCA.STUDENT.STUDENTFEES.LIBRARYFEES LibFees,
18  MCA.STUDENT.STUDENTFEES.EXAMFEES ExmFees,
19  MCA.STUDENT.STUDENTFEES.TRANSPORTFEES TrFees,
20  MCA.STUDENT.STUDENTFEES.HOSTELFEES HstlFees,
21  MCA.STUDENT.STUDENTFEES.MESSFEES MessFees
22* FROM MCAStudent MCA
SQL> /
MCA.STUDENT.STUDENTFEES.MESSFEES MessFees
*
ERROR at line 21:
ORA-00904: "MCA"."STUDENT"."STUDENTFEES"."MESSFEES": invalid identifier


SQL> ED
Wrote file afiedt.buf

  1  SELECT
  2  MCA.STUDENT.PERSONID StudID,
  3  MCA.STUDENT.PERSONFULLNAME.FIRSTNAME FName,
  4  MCA.STUDENT.PERSONFULLNAME.MIDDLENAME MName,
  5  MCA.STUDENT.PERSONFULLNAME.LASTNAME LName,
  6  MCA.STUDENT.PERSONDOB PDOB,
  7  MCA.STUDENT.PERSONADDRESS.HOUSENUM Hno,
  8  MCA.STUDENT.PERSONADDRESS.STREET Street,
  9  MCA.STUDENT.PERSONADDRESS.CITY City,
 10  MCA.STUDENT.PERSONADDRESS.DISTRICT District,
 11  MCA.STUDENT.PERSONADDRESS.STATE State,
 12  MCA.STUDENT.PERSONADDRESS.COUNTRY Country,
 13  MCA.STUDENT.PERSONADDRESS.PIN PinCode,
 14  MCA.STUDENTFEES.TUTIONFEES TFees,
 15  MCA.STUDENTFEES.LABFEES LabFees,
 16  MCA.STUDENTFEES.SPORTSFEES SPFees,
 17  MCA.STUDENTFEES.LIBRARYFEES LibFees,
 18  MCA.STUDENTFEES.EXAMFEES ExmFees,
 19  MCA.STUDENTFEES.TRANSPORTFEES TrFees,
 20  MCA.STUDENTFEES.HOSTELFEES HstlFees,
 21  MCA.STUDENTFEES.MESSFEES MessFees
 22* FROM MCAStudent MCA
SQL> /

    STUDID FNAME       MNAME       LNAME       PDOB        HNO
---------- ----------- ----------- ----------- ----------- ---------------
STREET                     CITY                 DISTRICT
-------------------- -------------------- --------------------
STATE                COUNTRY               PINCOD    TFEES    LABFEES
```

....

```
-------------------- -------------------- ------ ---------- ----------
    SPFEES    LIBFEES     EXMFEES     TRFEES   HSTLFEES   MESSFEES
---------- ---------- ---------- ---------- ---------- ----------
      1234 SATHISH      KUMAR      YELLANKI    02-OCT-86 2-715/B/6
BALKAMPET ROAD          HYDERABAD             RANGA REDDY
ANDHRA PRADESH          INDIA                 500016    100000     6000
      2000       1500       5000      20000      12000      27000


    STUDID FNAME       MNAME       LNAME      PDOB       HNO
---------- ---------- ---------- ---------- ---------- ---------------
STREET                  CITY                  DISTRICT
-------------------- -------------------- --------------------
STATE                   COUNTRY               PINCOD     TFEES   LABFEES
-------------------- -------------------- ------ ---------- ----------
    SPFEES    LIBFEES     EXMFEES     TRFEES   HSTLFEES   MESSFEES
---------- ---------- ---------- ---------- ---------- ----------
      1235 RAVI        KUMAR      SHARMA      03-JAN-86 2-716/B/6
SHIVAM ROAD            HYDERABAD             RANGA REDDY
ANDHRA PRADESH          INDIA                 500016    100000     6000
      2000       1500       5000      20000      12000      27000


    STUDID FNAME       MNAME       LNAME      PDOB       HNO
---------- ---------- ---------- ---------- ---------- ---------------
STREET                  CITY                  DISTRICT
-------------------- -------------------- --------------------
STATE                   COUNTRY               PINCOD     TFEES   LABFEES
-------------------- -------------------- ------ ---------- ----------
    SPFEES    LIBFEES     EXMFEES     TRFEES   HSTLFEES   MESSFEES
---------- ---------- ---------- ---------- ---------- ----------
      1236 RAMANA      KUMAR      RANJAN      23-JUN-86 2-716/B/6
GANDHI ROAD            HYDERABAD             RANGA REDDY
ANDHRA PRADESH          INDIA                 500016    100000     6000
      2000       1500       5000      20000      12000      27000


SQL> ED
Wrote file afiedt.buf

  1  CREATE OR REPLACE VIEW MCAStudInfo
  2  AS
  3  SELECT
  4  MCA.STUDENT.PERSONID StudID,
  5  MCA.STUDENT.PERSONFULLNAME.FIRSTNAME FName,
  6  MCA.STUDENT.PERSONFULLNAME.MIDDLENAME MName,
  7  MCA.STUDENT.PERSONFULLNAME.LASTNAME LName,
  8  MCA.STUDENT.PERSONDOB PDOB,
  9  MCA.STUDENT.PERSONADDRESS.HOUSENUM Hno,
```

```
10    MCA.STUDENT.PERSONADDRESS.STREET Street,
11    MCA.STUDENT.PERSONADDRESS.CITY City,
12    MCA.STUDENT.PERSONADDRESS.DISTRICT District,
13    MCA.STUDENT.PERSONADDRESS.STATE State,
14    MCA.STUDENT.PERSONADDRESS.COUNTRY Country,
15    MCA.STUDENT.PERSONADDRESS.PIN PinCode,
16    MCA.STUDENTFEES.TUTIONFEES TFees,
17    MCA.STUDENTFEES.LABFEES LabFees,
18    MCA.STUDENTFEES.SPORTSFEES SPFees,
19    MCA.STUDENTFEES.LIBRARYFEES LibFees,
20    MCA.STUDENTFEES.EXAMFEES ExmFees,
21    MCA.STUDENTFEES.TRANSPORTFEES TrFees,
22    MCA.STUDENTFEES.HOSTELFEES HstlFees,
23    MCA.STUDENTFEES.MESSFEES MessFees
24*  FROM MCAStudent MCA
SQL> /

View created.

SQL> DESC MCAStudInfo
 Name                                              Null?     Type
 ------------------------------------------------- --------- --------------------
 -------
 STUDID                                                      NUMBER(6)
 FNAME                                                      VARCHAR2(20)
 MNAME                                                      VARCHAR2(20)
 LNAME                                                      VARCHAR2(20)
 PDOB                                                       DATE
 HNO                                                        VARCHAR2(15)
 STREET                                                     VARCHAR2(20)
 CITY                                                       VARCHAR2(20)
 DISTRICT                                                   VARCHAR2(20)
 STATE                                                      VARCHAR2(20)
 COUNTRY                                                    VARCHAR2(20)
 PINCODE                                                    CHAR(6)
 TFEES                                                      NUMBER(8,2)
 LABFEES                                                    NUMBER(6,2)
 SPFEES                                                     NUMBER(6,2)
 LIBFEES                                                    NUMBER(6,2)
 EXMFEES                                                    NUMBER(6,2)
 TRFEES                                                     NUMBER(7,2)
 HSTLFEES                                                   NUMBER(8,2)
 MESSFEES                                                   NUMBER(8,2)

SQL> SELECT * FROM MCAStudInfo;

    STUDID FNAME       MNAME       LNAME       PDOB      HNO
---------- ----------- ----------- ----------- --------- ----------------
STREET               CITY                   DISTRICT
```

Spool File For Oracle Students Trained by Mr.Sathish Yellanki

....

```
-------------------- -------------------- --------------------
STATE                COUNTRY              PINCOD    TFEES    LABFEES
-------------------- -------------------- ------- ---------- ----------
     SPFEES    LIBFEES    EXMFEES    TRFEES   HSTLFEES   MESSFEES
---------- ---------- ---------- ---------- ---------- ----------
    1234 SATHISH      KUMAR      YELLANKI  02-OCT-86 2-715/B/6
BALKAMPET ROAD        HYDERABAD            RANGA REDDY
ANDHRA PRADESH        INDIA                500016    100000       6000
    2000       1500       5000      20000      12000      27000


    STUDID FNAME      MNAME      LNAME      PDOB       HNO
---------- ---------- ---------- ---------- --------- ---------------
STREET               CITY                 DISTRICT
-------------------- -------------------- --------------------
STATE                COUNTRY              PINCOD    TFEES    LABFEES
-------------------- -------------------- ------- ---------- ----------
     SPFEES    LIBFEES    EXMFEES    TRFEES   HSTLFEES   MESSFEES
---------- ---------- ---------- ---------- ---------- ----------
    1235 RAVI         KUMAR      SHARMA    03-JAN-86 2-716/B/6
SHIVAM ROAD           HYDERABAD            RANGA REDDY
ANDHRA PRADESH        INDIA                500016    100000       6000
    2000       1500       5000      20000      12000      27000


    STUDID FNAME      MNAME      LNAME      PDOB       HNO
---------- ---------- ---------- ---------- --------- ---------------
STREET               CITY                 DISTRICT
-------------------- -------------------- --------------------
STATE                COUNTRY              PINCOD    TFEES    LABFEES
-------------------- -------------------- ------- ---------- ----------
     SPFEES    LIBFEES    EXMFEES    TRFEES   HSTLFEES   MESSFEES
---------- ---------- ---------- ---------- ---------- ----------
    1236 RAMANA       KUMAR      RANJAN    23-JUN-86 2-716/B/6
GANDHI ROAD           HYDERABAD            RANGA REDDY
ANDHRA PRADESH        INDIA                500016    100000       6000
    2000       1500       5000      20000      12000      27000


SQL> SELECT
  2  E1.Student.PersonFullName.FirstName FName,
  3  E1.Student.PersonFullName.MiddleName MName,
  4  E1.Student.PersonFullName.LastName LName,
  5  E1.Student.PersonFullName.FirstName||' '
  6  ||E1.Student.PersonFullName.MiddleName||' '
  7  ||E1.Student.PersonFullName.LastName FullName
  8  FROM
  9  (
 10   SELECT *
```

```
 11    FROM MCAStudent
 12    ) E1;


FNAME          MNAME          LNAME          FULLNAME
-----------    -----------    -----------    -------------------------------
SATHISH        KUMAR          YELLANKI       SATHISH KUMAR YELLANKI
RAVI           KUMAR          SHARMA         RAVI KUMAR SHARMA
RAMANA         KUMAR          RANJAN         RAMANA KUMAR RANJAN

SQL> UPDATE MCAStudent MCA
  2    SET
  3    MCA.Student.PersonFullName.FirstName = 'RAGHAVA'
  4    WHERE MCA.Student.PersonID = 1236;

1 row updated.

SQL> UPDATE
  2    (
  3    SELECT *
  4    FROM MCAStudent
  5    ) MCA
  6    SET
  7    MCA.Student.PersonFullName.FirstName = 'RAGHAVA'
  8    WHERE MCA.Student.PersonID = 1236;

1 row updated.

SQL> SELECT * FROM TAB;

TNAME                                    TABTYPE   CLUSTERID
-------------------------------------    -------   ----------
MCASTUDENT                               TABLE
STUDENTNAMEINFO                          VIEW
MCASTUDINFO                              VIEW

SQL> SELECT * FROM STUDENTNAMEINFO;

FNAME          MNAME          LNAME          FULLNAME
-----------    -----------    -----------    -------------------------------
SATHISH        KUMAR          YELLANKI       SATHISH KUMAR YELLANKI
RAVI           KUMAR          SHARMA         RAVI KUMAR SHARMA
RAGHAVA        KUMAR          RANJAN         RAGHAVA KUMAR RANJAN

SQL> UPDATE MCAStudInfo
  2    SET FNAME = 'RAJNISH'
  3    WHERE STUDID = 1236;

1 row updated.
```

```
SQL> DELETE MCAStudent MCA
  2  WHERE MCA.Student.PersonID = 1236;

1 row deleted.

SQL> DELETE
  2   (
  3   SELECT *
  4   FROM MCAStudent
  5   ) MCA
  6  WHERE MCA.Student.PersonID = 1236;

0 rows deleted.

SQL> DELETE FROM MCAStudInfo
  2  WHERE STUDID = 1236;

0 rows deleted.

SQL> SPOOL OFF
```